




**LIQUI
MOLY**

**MOTOR OILS
ADDITIVES
CAR CARE**



WORKSHOP SOLUTIONS



Gerhard Riedmüller
Export Manager
of LIQUI MOLY GmbH



Dear Customer,

Every product from us contains a performance promise: It works. Our specialists in research and development, who work in cooperation with the most renowned independent testing bodies in the industry, watch over this to ensure an innovative product assortment. The LIQUI MOLY brand has stood for absolutely top quality "Made in Germany" for over 50 years. You can always rely on that.

Choosing LIQUI MOLY means getting more than a product. An overview of this "extra" is what you just happen to have in your hands: our catalog for workshop solutions. These provide you with additional earnings, sophisticated oil management, solutions for easier and more professional work, a comprehensive further education program and services with which you can break into new business fields.

You decide which building blocks represent a good foundation or a profitable extension for your company – welcome problem solvers, attractive instruments for customer loyalty and, finally, lucrative additional earnings that make your workshop fit for the future.

A successful business model is based on this, as our central focus is always on people. You are therefore not just our customer, but our partner; and on equal terms. You can build on that and on the entire LIQUI MOLY team – at any time.

Yours,

Gerhard Riedmüller

Oil marketing 6



Oil marketing: enhance with sales aids and expert knowledge.

Oil accessories 7



LIQUI MOLY has everything needed for safe and orderly oil storage and dispensing.

Storage solutions 11



Orderly and secure: the oil cabinets for all LIQUI MOLY lubricants.

Earning money with additives 15



Solve engine problems and earn money – with LIQUI MOLY additives.

Shop-Displays 19



Attractive and space-saving displays ensure greater turnover in your sales room.

Air-Conditioning System Cleaner 20



Workshop utilization and satisfied customers.

Car glass installation 21



Additional business from bonding glass screens and plastic repairs.

Laminated glass repair 23



Professional and economical repairs of glass damage.

Internet 25



Everything firsthand – via a direct line to LIQUI MOLY

Sales promotion 28



Decorate your business with the appeal of a well-known brand.

Vehicle labeling 38



Apply advertising materials to your workshop vehicles or customer service vehicles and get a promotion rebate!

Academy 40



Training, demonstrations and presentations.



LIQUI MOLY – a comprehensive supplier of automotive products and more.

Variety is our trump card

We keep things on the move: Motor oils, additives, car care, chemical repair aids, service products. As the leading enterprise in the industry, we provide you with the full range of products to maintain both the technical and visual values of the vehicle. Or, in short: we have what you need. Even solutions for repairs to laminated glass and plastic. The wide range is LIQUI MOLY's trump card.

Our entire team is working without pause on our product line and product competence, but you have only one contact person – everything from a single source. You save time, money and a lot of calls to different suppliers. A strong argument for business, workshops and consumers. It can be so simple. Simply make use of this added value!

Quality is no coincidence

Development, testing, checking – all in our own laboratories. The key word here is: manufacturer expertise. You yourself know: Quality doesn't just happen, it is the result of precise work and expert knowledge. We also work in cooperation with the most renowned independent testing bodies in the industry. That guarantees you innovative products of consistent premium quality and "tools" that always function properly.

We concentrate just as much on the environment as we do on quality. That is why our Development, Production and Sales departments have been tested and certified in accordance with DIN EN ISO 9001 and DIN EN ISO 14001 – as an indication of sustainable use of energy and ever diminishing resources. We consider this to be our duty.



Certified Management System



Many ideas for more expertise and higher profits

Our first class products form a solid basis for safe and economical work in the workshop. Develop new business fields with LIQUI MOLY, increase your sales and improve your yield: We give you the right solutions, sales promoting assistance and training – regardless of whether it is additional offers such as professional engine cleaning with our additives, bodywork and window repairs together with work instructions and advertising material or it concerns the cleaning of air conditioning systems. Passenger car and commercial vehicle workshops receive advice and real help from LIQUI MOLY.

Special offers include the oil guide from LIQUI MOLY and the online help for cleaning the air conditioning. LIQUI MOLY customers can find these free of charge on the Internet at www.liqui-moly.de.

Expertise in the workshop is exemplified by the well thought-out organization of working procedures and up-to-date expert knowledge. LIQUI MOLY provides you with custom solutions for both of these: Be it the oil or gearbox oil cabinet for a clean, economical and clearly arranged storage of our high-performance lubricants or the LIQUI MOLY Academy that supplies you with training offers for all our product range areas.

Brand sympathy generates sales

The LIQUI MOLY brand is being developed continuously. The logo in the colors blue, red and white is enjoying an ever higher degree of brand awareness and is enjoys high favor among the customers. LIQUI MOLY received multiple awards from the readers of the largest German car magazines as the most popular lubricant brand. The result: A continually increasing demand for our brand products and increasing sales opportunities for you.

The popularity is based on advertising in television, newspapers and trade journals as well as at the point of sale and in sponsoring. All that contributes to permanent brand awareness. A radiance that we gladly share with you in that we give your company a beautiful new LIQUI-MOLY face, naturally in close coordination with you.



10 tips for successful oil marketing in the workshop

- Offer the products of a well-known oil brand and also make this visually clear.
- Use informative and advertising materials such as posters, brochures, oil-change labels, flags, advertising boards, window decorations, etc. from this brand.
- Work with an oil brand that offers you a complete oil product range, meaning the right motor and gear oil for every vehicle.
- Make sure that the products you use meet the current technical specifications and are approved by the vehicle manufacturers.
- Bring your technical knowledge and skill to bear.
- Check the oil level on every customer vehicle.
- Offer your customers advice, taking into account the vehicle and the individual vehicle operation.
- Use technical and economic selling points to convince your customers about the higher quality and therefore more profitable synthetic motor oils.
- Offer your customers an engine flush before the oil change.
- Use the designs and equipment for fresh oil supply and old oil/container disposal

DRUM PACKET A**Hand pump**

Consisting of:

- Drum pump with telescopic intake pipe for 60 to 205 liters
- Measuring cup, 2 liters, with flexible outlet pipe and cover

(Part-No. 7950)

**DRUM PACKET A1****Hand pump**

Consisting of:

- Professional hand pump with telescopic intake pipe for 60 to 205 liters

(Part-No. 7996)

**DRUM PACKET B****Pneumatic oil feed unit with hand-held flow meter**

Consisting of:

- Pneumatic pump 3:1, double-action
- Intake pipe for 60 to 205 liters
- Hand-held flow meter, outlet fixed at 60°
- 4 m dispensing hose 3/4"
- Maintenance unit with shutoff valve

(Part-No. 7951)

**DRUM PACKET B1****Pneumatic oil feed unit with pump nozzle**

Consisting of:

- Pneumatic pump 3:1, double-action
- Intake pipe for 60 to 205 liters
- Pump nozzle without counter
- 4 m dispensing hose 3/4"
- Maintenance unit with shutoff valve

(Part-No. 7952)

**DRUM PACKET C****Pneumatic oil feed unit, movable**

Consisting of:

- Pneumatic pump 3:1, double-action
- Intake pipe for 60 to 205 liters
- Hand-held flow meter, outlet fixed at 60°
- Carriage incl. drip cup for drums up to 205 liters
- 4 m dispensing hose
- Maintenance unit with shutoff valve

(Part-No. 7953)

**DRUM PACKET D****Pneumatic oil feed unit for wall mounting**

Consisting of:

- Pneumatic pump 3:1, double-action
- Intake pipe for 60 to 205 liters
- Hand-held flow meter, outlet fixed at 60°
- 10 m hose reel, open, 1/2"
- Pump nozzle holder
- Maintenance unit with shutoff valve
- Rear wall not included

(Part-No. 7954)



HOSE REEL, CLOSED**10 m hose length, 1/2"**

- for wall or floor mounting
- Dimensions:
495 (L) x 158 (W) x 508 (H) mm
- Weight: 17 kg

(Part-No. 7838)

**HOSE REEL, OPEN****10 m hose length, 1/2"**

- for wall or floor mounting
- Dimensions:
472 (L) x 152 (W) x 498 (H) mm
- Weight: 15 kg

(Part-No. 7883)

**TROLLEYS
FOR CONTAINERS/DRUMS**

Carriage incl. drip cup for containers or drums up to 205 liters.

(Part-No. 7912)

**OLD OIL COLLECTING TANK
with pressurized draining, 70 liters**

- 2 m dispensing hose with discharge bend
- Height-adjustable collecting funnel with removable sieve
- Maximum height: 1,800 mm

(Part-No. 7810)

**OLD OIL COLLECTING
AND EXTRACTION UNIT
with pressurized draining
and vacuum extraction, 70 liters**

- 2 m dispensing hose with discharge bend
- Height-adjustable collecting funnel with removable sieve
- Maximum height 1,800 mm
- Sensor holder, complete with 5 suction sensors
- Adapter for BMW, Mercedes-Benz, V.A.G., PSA-Group

(Part-No. 7828)

**GEAR OIL FILLER
5 to 60 liters, on wheels**

- Multi-purpose hand pump, delivery 0.2 l/stroke
- 2 m dispensing hose
- Outlet pipe with ball valve
- Sturdy carriage
- Pillar including pump can be unscrewed from carriage
- Collar for sealing the container plug

(Part-No. 7839)

**OIL FILLING UNIT
FOR TRANSMISSIONS**

- Tank volume: 7 liters
- Filling hose: 1,600 mm
- 14 adapters for BMW, Ford, Mercedes-Benz, V.A.G. in case
- Drip pan

(Part-No. 7941)



DRUM RACK FOR 2 x 60 L DRUMS

with oil drip pan

- Dimensions: 450 (L) x 820 (W) x 1,310 (H) mm
- Weight: 18 kg

[Part-No. 7803]

**DRUM RACK**

with oil drip pan

With 3 storage levels for small canisters or 3 x 60-liter drums in addition and canister support

- Dimensions: 1,320 (L) x 800 (W) x 1,300 (H) mm
- Weight: 60 kg

[Part-No. 7994]

**GREASE SYSTEM, PNEUMATIC**

for large containers, movable

- Pneumatic grease pump 1:55 with intake pipe and pumping unit
- Delivery: approx. 600 cc/min
- High-pressure grease gun with Z-swivel
- Dust cover, tank fastening and grease follower piston
- Pressure relief valve and push-on nipple
- Carriage
- 4 m high-pressure hose

[25 kg – Part-No. 7991,
50 kg – Part-No. 7992]**BATTERY-POWERED GREASE GUN 14.4 WITH ARMORED HOSE**

Rugged 14.4 V battery grease press with filling/bleed valve, for 400 g grease cartridges. A high-performance electric DC motor with planetary gear and crank gear creates a max. pressure of 400 bar that is limited by a pressure-relief valve. Scope of delivery:

- Battery grease press, 14.4 V NiCd rechargeable battery, 1500 mAh, delivery rate: approx. 100 ccm/min
- Electronically controlled rapid charger with overcharge protection (1 h normal charge time),
- High-pressure reinforced rubber hose 750 mm (burst pressure 1650 bar) with 4-jaw hydraulic coupler R1/8",
- Plastic case with room for a second rechargeable battery and for grease cartridges

[Part-No. 3513]

**OIL DRIP PAN**

for 2 drums of up to 205 liters

- TÜV type-tested
- Dimensions: 1,200 (L) x 800 (W) x 360 (H) mm
- Weight: 76 kg

[Part-No. 7812]



ELECTRIC DRUM PUMP for 205-liter additive drums

- Delivery rate: up to 80 l/min
- Hand-held flow meter
- Dispensing hose 2.50 m


[Part-No. 7927]



HAND DRUM PUMP for 50-liter additive drums

- Stainless steel hand pump with Teflon seals
- Delivery rate 0.25 liter per stroke

[Part-No. 7928]



Additional accessories can be found in our product catalog.



**Tidiness and cleanliness
in the workshop with
LIQUI MOLY oil cabinets**

OIL CABINET

Weight: 116 kg
Dimensions
(H x W x D):
2.100 x 950
x 550 mm

(Part No. 7920)



Optimal for valuable special oils.

Material:

Steel sheet powder-coated in anthracite or aluminum-silver look, 2 shelves (1 shelf is optional), drip tray in galvanized sheet steel, brochure compartment in the right-hand door. Doors are lockable.

Oil cabinet contents:

- 1 x workshop solutions (Part No. 5575)
- 1 x special oils overview (Part No. 5635)
- 1 x order form for additional labels
- 3 x additional labels for 20 liter
- 1 x environment certificate
- 1 x measuring jug, transparent, 1 liter

The cabinet is delivered as complete, assembled unit.

The right oil for each vehicle – all oil specialties cleanly and orderly arranged in the LIQUI MOLY oil cabinet!

- Specially developed for the new LIQUI MOLY 20-liter canister.
- You can therefore store smaller quantities of high-value special oils as a rule.
- Offset shelves prevent drops falling onto the lower levels.
- Integrated oil drip tray so that there are no problems with the authorities.
- Lockable, i.e. no more "oil loss"!
- Document compartments integrated into the door, e.g. for technical data sheets.

Following equipment is available:

- For 8 x 20-liter canister and 2 x 60 liter drum. Cabinet then contains 2 shelves, 8 drain cocks (Part No. 7924) and two hand-operated pumps for 60-liter drum (Part No. 7932).

or

- For 12 x 20-liter canister. Cabinet then contains 3 shelves, 12 drain cocks (Part No. 7924).

**PLASTIC HAND PUMP**

for 60 l and 205 l drums.

- Plastic hand pump made of polypropylene
- Telescopic intake pipe, adjustable from 480 to 950 mm

(Part-No. 7932)

**DRAIN COCK, PLASTIC**

For 20-liter canisters with DIN 60/61 thread.

- with gasket

(Part-No. 7924)



Additional labels for identifying 20-liter canisters are included

GEAR OIL CABINET

Weight: 52 kg
Dimensions (H x W x D): 950 x 630 x 550 mm

(Part-No. 7993)



Ideal as supplement to LIQUI MOLY oil cabinet (Part No. 7920).

- The LIQUI MOLY gear oil cabinet is an in-house development and is produced exclusively for LIQUI MOLY clients.
- The body, doors and internal dividers are made of high-quality, powder-coated sheet steel, in aluminum-silver or anthracite color.
- The cabinet also has a pull-out oil drip tray, three drain cocks, holder for a hand-operated metering syringe (Part No. 7989) and two storage compartments for extra labels, oil guide, etc. on the inside of the right-hand door.
- Holes and reinforcement plates in the rear panel for wall fixing.

Following content is possible:

- 3 x 20-liter canisters, 3 x 6-pack units of the 1-liter gear oil bottle



1,000 ml manual metering syringe (optional) in the holder provided.

MOTORBIKE OIL CABINET

Weight: 52 kg
Dimensions (H x W x D): 950 x 630 x 550 mm

(Part-No. 7990)



- The Motorbike oil cabinet was specially developed for 20-liter and 1-liter LIQUI MOLY containers
- Robust design in powder-coated sheet steel for wall mounting
- Ideal for safekeeping of Motorbike motor and transmission oils
- With built-in oil drip tray and document compartment for technical information sheets

Following content is possible:

- 3 x 20-liter canisters, 3 x 6-packaging units of 1 liter motorcycle oil canisters (as desired)



DRAIN COCK, PLASTIC

For 20-liter canisters with DIN 60/61 thread.
• with gasket

(Part-No. 7924)



Additional labels for identifying 20-liter canisters are included

CHEMICAL CABINETS

Weight: each 23,5 kg
 Dimensions (H x W x D): 950 x 450 x 320 mm (Part No. 7973)

**For optimum storage of chemical products.**

Steel cabinets especially developed by LIQUI MOLY; extremely stable version. Ideal for professional use in workshops with practical subdivisions. All cabinets are already prepared for wall installation. Doors can be secured with bale lock to prevent "disappearance". All three cabinets are available separately.

SERVICE PRODUCT CABINET

When aerosol cans are overheated from exposure to sun or fire, for example, the danger exists of the aerosol cans bursting. In addition to the hazard posed by parts of the spray can, other highly combustible substances are released, which can lead to aggravation of the fire or even explosion. For this reason it is practical in every day practice in workshops to store used aerosol cans in the LIQUI MOLY service product cabinet to counteract such hazards.

**ADDITIVE CABINET**

For storing Pro-Line Series LIQUI MOLY additives used in the workshop.

ADHESIVES & SEALANTS CABINET

Adhesives, sealants and other chemical products for corrosion protection and car glass service can be stored safely and neatly in this cabinet.





LIQUI MOLY Pro-Line additives were developed especially for the requirements in master workshops. All Pro-Line additives are also offered in large containers specifically for the commercial vehicles area.

Solve engine problems and earn money with LIQUI MOLY additives

High return with low investment

Every time a vehicle passes through your shop, for customer service or for an emissions inspection, why not clean up the entire engine system? Your customers will appreciate it. The vehicle's operating life and performance will increase, fuel consumption will be reduced and you will reap the benefits of a welcome source of additional business.

Either add the LIQUI MOLY Pro-Line Fuel Injection Cleaner or Diesel System Cleaner to the tank or use our JetClean unit and the cleaning fluid developed for it for ultra-intensive cleaning.

Important:

Show your customers the performance provided in our LIQUI MOLY performance guarantee. JetClean consists of a special stainless steel container that has capacity for 5 liters of Fuel System Intensive Cleaner or

Diesel System Intensive Cleaner. Depending on the injection system, the JetClean container is brought up to the appropriate system pressure or pre-delivery pressure on gasoline or diesel vehicles. Special adapters and fittings supplied together with the unit make it quick and easy to connect the JetClean unit's hoses to the respective injection system without removing components of the injection system for cleaning purposes. Within a very short time (10 – 30 min.), JetClean cleans the fuel distributor, control plungers, injection valves, injection nozzles, combustion chambers, intake valves and other components of the injection system. 5 l of Fuel or Diesel System Intensive Cleaner are sufficient for cleaning several systems even with heavy deposits. **JetClean is not only used for remedial purposes but is also used to regularly maintain and keep the system clean.** The investment for the JetClean unit is recovered after only a few applications.



Fully automatic engine system cleaning unit
JETCLEAN TRONIC



Versatile and quickly redeemed:
JETCLEAN PLUS cleaning unit

Suitable for all common types of petrol (including E10).

For gasoline engines

Optimize the emission values before the emissions inspection.

All products have one thing in common: They reduce CO and HC emissions as well as soot and optimize the values before the emissions inspection. They clean contaminated gasoline injection systems, remove carbon and other deposits in the combustion chamber in the mixture preparation systems and at the injection valves and intake valves and ensure precise dosage of injection quantities and fuel atomization. The engine regains its original output and fuel consumption is lowered. Successfully tested according to internationally standardized CEC test bench tests. An environmentally friendly combustion process is guaranteed. Compatible with turbochargers and catalytic converters.

For diesel engines

Engine output that you hear and feel.

LIQUI MOLY Pro-Line "Diesel System Cleaners" reduce pollutant emissions and thus optimize smoke opacity before the emissions inspection. They clean injection nozzles and the entire fuel system of troublesome deposits, prevent the seizing and gumming up of nozzle needles, increase the ignition performance of the diesel fuel and optimize the combustion process: The engine regains its original performance and there is less knocking, the engine runs smoother and it starts more easily. Successfully tested in international bench tests.

10 tips for successful businesses with fuel and oil additives in the workshop:

- Selling additives increases the annual yield of the workshop without any extra work or time.
- Actively offer the additives. Approach your customers about it and don't wait until you are asked.
- Instead of selling „1 can of additive“, offer engine system cleaning (gasoline/diesel additives) or long-term wear protection (oil additives).
- Don't sell the additive on its price but on its performance.
- Explain to your customers that deposits form in the combustion process in every engine, particularly on valves and injectors.
- **Explain the consequences:**
Deposits = loss of performance = increased fuel consumption = increased pollutant emission.
- **Fuel additives reduce these deposits or prevent their formation in the first place.**
No deposits = optimum performance = reduced fuel consumption = lower pollutant emission.
- All additives are accurately tested for compatibility with all fuels and engine oils. Negative effects are guaranteed not to take place.
- Bring your technical knowledge and skill to bear in your sales pitch.
- Take advantage of the training opportunities, technical information and brochures or advertising materials for support.

**Earn money with LIQUI MOLY
Learn here how to do it!**



Sample calculation:

Pro-Line Engine Flush (Part No. 2427):

Your purchase price	_____
Charge rate for customer (net)	_____
Earnings per application	_____

**Earnings per season*
(100 applications)**

*without taking working time into account

An overview of all Pro-Line products can be found in our product catalog.



**Want to earn money?
We'll show you how:**

- 1 Wake up your customers' "problem awareness" for engine system cleaning.**

Directly address possible problems with your customers (for example fuel consumption, starting problems, etc.).

- 2 Highlight the possible solutions through the use of additives.**

Bring up the advantages of additives and how they work with your customers and particularly focus on the BENEFITS and thus the advantage for the customer.

- 3 Bring your technical knowledge and skill to bear.**

Use short and easy words in combination with pictures from the brochures to explain to your customer the backgrounds and causes for the problems that occur (for example contamination in the system) and the consequences arising from this (rough engine running, high fuel consumption). Point out possible consequential damage and the corresponding costs such as exchange of the valves, among other things. Show compression test logs and carbon deposits on valves, for example, and explain that for just a low price the customer receives a sparkling clean engine.

- 4 Use additives as a preventative measure!**

As part of inspections, perform an "engine system cleaning" with the Pro-Line fuel additives. If you explain this to the customer "cleanly", he or she will surely be ready to pay for the additional service.

**Earn money with LIQUI MOLY
Learn here how to do it!**

Sample calculation:

ENGINE SYSTEM CLEANING

(Part No. 5153 or 5156):


Your purchase price	_____
Charge rate for customer (net)	_____
Earnings per application	_____

**Earnings per season*
(100 applications)** _____

*without taking working time into account

LIQUI MOLY Wear Protection, cleaning additives for the oil circuit and a Throttle Valve Cleaner are also offered in the Pro-Line series for use in motor vehicle workshops.





Cleaning instead of replacing

When the diesel particulate filter reaches its maximum degree of filling, the ECU (electronic control unit) automatically starts the filter regeneration program: more diesel fuel is injected and the exhaust gas temperature increases. These high exhaust gas temperatures usually burn away the soot particles. But when diesel vehicles are used for short distance trips the diesel particulate filter does not always reach temperatures high enough to burn the accumulated soot particles.

The result: The filter gets clogged.

With the specially developed diesel particulate filter cleaning set the filter can be cleaned in a fast and economical manner without replacing the filter. The only things you need to clean the filter is our Pro-Line Diesel Particulate Filter Cleaner and our Pro-Line Diesel Particulate Filter Purge to use in the DPF Pressurized Tank Spray Gun.



Pro-Line Diesel Particulate Filter Cleaner (Part-No. 5169) and -Purge (Part-No. 5171).



DPF gun with 5 spray probes (Part No. 7945)

DPF Pressurized Tank Spray Gun (Part-No. 7946).



Display dimensions:
58 cm wide
39 cm deep
182 cm high with topper
129 cm high without topper



LIQUI MOLY Additive Shop

The sales display contains additives in small quantities for everyday use as an entry.

Outfitting and services:

- Shop shelving with printed crowner free of charge
- Services boards for setting up outdoors free of charge
- Advertising and information materials for end consumer
- Including setting up and perfect typography
- Introduction and application training on the spot free of charge

The problem-solvers for:

- High oil consumption
- Engine and transmission noise
- Poor compression
- Rough engine running
- Poor throttle response
- High fuel consumption
- Poor cooling performance

Corrosion Protection Shop

Outfitting and services:

- Shop shelving with printed crowner free of charge
- Services boards for setting up outdoors free of charge
- Advertising and information materials for end consumer
- Including setting up and perfect typography
- Introduction and application training on the spot free of charge




**SERVICES BOARDS /
BUILDING BLOCKS**

(Part-No. 5528)



(Part-No. 5470)



Workshop utilization and satisfied customers with LIQUI MOLY.

Good air condition

Bacteria gone – Musty smells gone.

The LIQUI MOLY Cleaner for Air Conditioning Systems rids the A/C System of bacteria, fungi and sickness causing germs without disassembly. It forms a protective film on the evaporator and provides for fresh, clean air. With long-lasting effect.

Low investment – High return

The business with air conditioning cleaning will grow due to the increasing number of vehicles with air conditioning systems. Investment in the air conditioning system cleaning unit is fully recovered after only a few applications and you can make good additional business.

The effective application with the LIQUI MOLY special gun

This specially designed spray nozzle makes it possible to treat the entire surface of the evaporator. Compressed air is used to spray the air conditioning system cleaner into the evaporator fins via a 360° nozzle.

Unlike other products, the evaporator is not scented but is thoroughly cleaned and freed of deposits between the fins.

You will find all you need to know about air conditioning at: www.liqui-moly.de

- Information about new products is always first hand and up to date.
- Instructions for many current vehicle types can be downloaded.

Earn money with LIQUI MOLY Learn here how to do it!

Sample calculation:

Sale price per cleaning (net)	_____
Material employed per application (1 liter liquid)	_____
Earnings per application	_____

Earnings per season* (100 applications)

*without taking working time into account

A proper, comprehensive package

As well as the special gun with the long nozzle, practical spray tank and 5 liters cleaning fluid, the package also includes one sticker, 50 inside rearview mirror tags and 20 pamphlets for the end customer. All popular vehicle types are listed on the Internet with application descriptions for our customers. This makes money-earning fun.

AIR CONDITIONER CLEANING SET

Complete set for professional performing and marketing air-conditioning system cleaning. Includes 5 l Air-conditioner Cleaner (Part no. 4092), Cleaning Gun (Part no. 4090) with pressure tank, labels, leaflets for customers and rear-view mirror tags.

(Part-No. 9802)





The start in a profitable business

Become an automotive glass professional! In LIQUI MOLY you have an expert partner and supplier of tools and products for the replacement of laminated vehicle windows. On the next page you will find everything needed to professionally repair windows in cars and commercial vehicles.



LIQUIPRESS MILWAUKEE

Rechargeable battery-powered cartridge grouting gun with all-metal gears for high grouting pressure and long durability. With automatic ram bar return – that prevents the material from leaking out after letting go of the switch. Comes with a 6-stage control wheel to preset a grouting speed suitable to the material.

[Part-No. 6247]



REPLACEMENT RECHARGEABLE BATTERY FOR LIQUIPRESS MILWAUKEE GENERATION II

Powerful replacement rechargeable battery.

[Part no. 6259].



TOOLSET FOR GLASS REPAIRS

Including:

- 2 x 6211 cup suction tool;
- 1 x 6212 wire starter;
- 1 x 6213 seam scraper;
- 1 x 6214 glass scraper;
- 1 x 6217 turned razor wire (25 m);
- 1 x 6218 square razor wire (50 m);
- 2 x 6230 fixating suction cup;
- 1 x 6202 nozzle pliers;
- 1 x 6232 wire guide.

[Part-No. 6229]

TUBULAR STEEL STAND

Powder coated, tubular steel stand with chain height adjustment.

[Part-No. 6216]



GLASS PANE SEPARATOR

Consisting of:

- 1 glass pane separator with vacuum pad and pump
- 1 wire starter with double groove
- 1 counterholder
- 1 separating cord, white, 130 daN, 100 m [part no. 7943]
- 2 dashboard protectors
- 1 pair of protective goggles
- 1 pair of protective gloves
- 1 putty knife (round/flat)
- 1 box of matching inserts

[Part No. 7944]

Laminated glass repair system

Professional repair system for repairing laminated glass.

- The tool case contains all tools that are required for a professional laminated glass repair on passenger and commercial vehicles.
- Simple and economic handling
- Very high professional quality
- Enables the professional repair of damaged laminated glass panes

Single items for reorder
for Part-No. 6261 and Part-No. 6265!

Consisting of:



REPAIR RESIN WITH INJECTOR
(Part-No. 6299)



SIZE RESIN
(Part-No. 6298)



GRINDING AND POLISHING PASTE
(Part-No. 6297)



CARBIDE DRILL BIT ROUND 1.2 MM
(Part-No. 6262)



CARBIDE DRILL BIT CONICAL 1.0 MM
(Part-No. 6263)

Every participant in our training "Professional Laminated Glass Repair" receives a certificate on successful completion of the course.



LAMINATED GLASS REPAIR SYSTEM CASE
(Part-No. 6261)

1 x Repair bridge with injector holder, 1 x grinding and polishing paste, 1 x inspection mirror with sucker, 1 x UV lamp 6 W, 230 V / 50 Hz, 1 x mini drill with 230 V mains adapter, 1 x carbide metal rod, 1 x pen-light incl. batteries, 1 x lighter with child safety device, 1 x small parts box with 3 plastic injectors, 1 repair resin - 5 ml, 1 size resin - 5 ml, 20 Mylar squares, 5 doctor blades, 1 carbide drill bit conical 1.0 mm, 1 carbide drill bit round 1.2 mm, operating instructions

Supplied in a sturdy plastic case with molded foam-lined interior.



Laminated Glass Repair System Case, Truck/Car

Professional system for repairing laminated glass. The toolbox contains all tools and equipment needed for professional laminated glass repair on commercial motor vehicles and passenger vehicles. The individual tools are all of high quality and extremely durable. The positive and negative pressure required for repairs is generated on the system by a pressure/vacuum pump.

The simple layout of the system ensures safe and easy operation. Thanks to the extremely thin, high-quality repair resin, even the smallest cracks are filled reliably. Even stone chip damage with splinters or dirty impact points can be repaired perfectly – the system also includes a cordless mini drill for drilling out the impact point.

The seal on the large resin chamber has an inner diameter of 9.5 mm, and is thus suitable for large-scale stone chip damage as seen regularly on HGVs and buses. The large resin chamber is also ideal for repairing stone chip damage with two impact points in close proximity to each other. The resin chamber is designed so that it can be used on both flat and upright glass panes.



The 125 mm suction cup on the base unit is fixed securely in place with only a few pumps from the vacuum pump.

The stable lightweight alloy arm can be moved and pivoted so that the resin chamber can be positioned exactly and easily over the impact point.



LAMINATED GLASS REPAIR SYSTEM CASE, TRUCK/CAR

(Part-No. 6265)

Consisting of:

- Large resin chamber, 3/8"
- Small resin chamber, 3/16"
- Connecting hose
- Pressure/vacuum pump
- Holder with suction cup for pump
- Inspection mirror with suction cup
- UV lamp, 6 W, 230 V/50 Hz
- Cordless mini drill, 9.6 V
- Stud pin
- Cracker
- Light pen, incl. batteries
- Lighter with child lock
- 2 x repair resin, 5 ml
- 1 x size resin, 15 ml
- 1 x Polish for Stone Chips, 25 ml
- 1 x stand magnifier, 15x
- Box for small parts with following contents:
 - 3 x hypodermic syringes
 - 3 x needles
 - 20 x Mylar foil squares
 - 10 x doctor blades
 - 5 x injector seals, 3/8"
 - 5 x injector seals, 3/16"
 - 1 x carbide drill bit, conical, 0.8 mm
 - 1 x carbide drill bit, conical, 1.0 mm
 - 1 x carbide drill bit, round, 1.0 mm
 - 1 x carbide drill bit, round, 1.2 mm
 - Sanding and polishing set, 12 pcs.
 - Stone chip simulator
 - Detailed operating instructions

Supplied in a sturdy plastic case with molded foam-lined interior.



The Internet service offer from LIQUI MOLY.

Optimally informed by liqui-moly.de

Fast exchange of information is essential for modern, high-performance companies. You can advise customers more quickly and comprehensively with the right information. This makes it easier for you to supply your customers with goods and services. Utilize the following areas and save time and money with the information available there.

LIQUI MOLY web pages are available in the following languages:

Germany: **www.liqui-moly.de**
in German, English, French, Spanish, Dutch and Arabic

Belgium: **www.liqui-moly.be**
in Dutch and French

Finland: **www.liqui-moly.fi**
in Finnish

Italy: **www.liquimoly.it**

Norway: **www.liqui-moly.no**
in Norwegian

Portugal: **www.liqui-moly.pt**

Sweden: **www.liqui-moly.se**
in Swedish

Switzerland: **www.liqui-moly.ch**
in German and French

The right oil at a glance.



The LIQUI MOLY Internet oil-change table shows the right engine, transmission and servo oils for all common car, commercial vehicle and motorcycle types.

NEW! Find the right motor oil with your smartphone:



Be on the ball with the latest news.




Keep up to date with products, sales promotions and our ingenious workshop concepts. If you want, you can get daily information updates, also by email. This is a time-saver for you and your company.

Link your homepage to ours.



Make a link to our homepage www.liqui-moly.de and benefit from our professional web presence.

Technical information.



Hints on processing and technical information, safety data sheets as PDFs for downloading. Always up to date and informative.

Instructions for AC system cleaning.




How is the air conditioning system cleaned for a particular vehicle type? LIQUI MOLY has instructions on hand for many popular vehicles (see also page 20).

LIQUI-MOLY.DE on the road



You can conveniently call up our website with your smartphone. Regardless of whether it is the oil guide, product information or searching for a source of supply – you always keep track of everything – even when on the road. And best of all: you don't have to keep note of another Internet address, then you are automatically passed on to the appropriate language version – at the moment the German or English version.

All products and illustrations.



All LIQUI MOLY products can be searched for here using the article number or the article's purpose. Detailed product information, safety data sheets and high-resolution illustrations for your advertising can be downloaded here.

LIQUI MOLY Shop.

The LIQUI MOLY Shop offers you the opportunity of ordering economical company, recreation and work clothing as well as team sport equipment. All articles bear the LIQUI MOLY logo, because LIQUI MOLY helps support this offer. This gives us the opportunity of offering you extremely attractive purchasing conditions. We will also be happy to add your company logo to your company, recreation and work clothing in addition to the LIQUI MOLY logo.



Please note our terms of payment and shipping in the LIQUI MOLY Teamshop.

Shipment outside of Europe: Unfortunately we are not shipping our products outside of European Union.

Your payment options in the LIQUI MOLY Teamshop: We accept payment via PayPal as well as prepayment.





LIQUI MOLY advertising material guarantees a strong presence in commercial and workshop sales rooms.

Advertising that appeals to your customers!

Show the flag with LIQUI MOLY! Get a strong brand as a driving force behind your company.

(Almost) all advertising material shown here can be requested from the Export Area Manager responsible for your company and as a rule can be made quickly available.

You also receive from LIQUI MOLY an individual external sign that matches your company and your existing appearance. This measure that is very popular with workshops, independent filling stations and business houses can also be discussed and planned with the responsible Export Area Manager. The making of the advertising boards is free; the client must only organize the installation.



ADHESIVE LABEL LOGO

680 x 448 mm	(Part-No. 5375)
480 x 316 mm	(Part-No. 5372)
320 x 210 mm	(Part-No. 5428)
132 x 87 mm	(Part-No. 5370)
53 x 35 mm	(Part-No. 5377)



**DECORATIVE
COLLAPSIBLE
WALL**
(Part-No. 5483)



**DISPLAY
ADDITIVE CAN**
(Part-No. 9901)



DECORATION GIRL
(Part-No. 5444)



**LOGO EXTERIOR SIGNBOARD
ALU**
(Part-No. 5486)



BANNER
(400 x 100 cm)
(Part-No. 5643)

**WORKSHOP-OVERALL**

size M (Part No. 5351)
size L (Part No. 5354)
size XL (Part No. 5355)
size XXL (Part No. 5356)

**DRUM TABLE/
SEATING**
(Part-No. 5859)**DECORATION COLUMNS**
(Part-No. 5441)**POSTER STAND**
(Part-No. 5460)**WORKSHOP CLOCK**
(Part-No. 5345)



MOTOR OILS/ADDITIVES/CAR CARE
(80 x 80 cm)

ILLUMINATED VERTICAL SIGN*
(Part-No. 5434)

ILLUMINATED OUTSIDE SIGN*
(Part-No. 5771)



ILLUMINATED COUNTER SIGNS*
MOTOR OILS/ADDITIVES/CAR CARE
(102 x 25 x 12 cm)
(Part-No. 5367)



BANNER IMAGE (100 x 230 cm)
vertical
(Part No. 5242)

BANNER ADDITIVES (100 x 230 cm)
vertical
(Part No. 5243)



BANNER MOTOR OILS (100 x 230 cm)
vertical
(Part No. 5244)



LM-FLAG
150 x 360 cm
(Part-No. 5623)


* LIQUI MOLY slogans in other languages available. (Part No. upon request)

**OIL GUIDE VEHICLE**

(Part-No. 5430)

**PROOF OF SERVICE***


(Part-No. 5739)

**DVD PRODUCTFILM
D/GB/E/F/ARAB/RUS**


(Part-No. 5569)

**OIL GUIDE TRUCK**

(Part-No. 5431)

**OIL GUIDE MOTORBIKE**


(Part-No. 8769)

**END USER
MOTOR OILS***


(Part-No. 5439)

**END USER
ADDITIVES***

(Part-No. 5616)

**END USER
CAR CARE***

(Part-No. 5491)

**END USER
MOTORBIKE***

(Part-No. 5560)


**JOB CARD***

Part-No. 5473 GB

**CATALOGUE MOTORBIKE***
D/GB

(Part-No. 8770)

Services boards/Building blocks



ADVERTISING BOARD LOGO
(800 x 500 mm)
(Part-No. 5528)



ADVERTISING BOARD MOTOR OILS/ ADDITIVES/CAR CARE
(800 x 300 mm)
(Part-No. 5470)



ADVERTISING BOARD MADE IN GERMANY
(800 x 200 mm)
(Part-No. 5972)



ADVERTISING BOARD MOTOR OIL
(Part-No. 5487)

The LIQUI MOLY adhesive label display window

LOGO
(320 x 210 mm)
(Part-No. 5428)



ADHESIVE LABEL DISPLAY WINDOW STRIPES
(Part-No. 5307)



ADHESIVE LABEL DISPLAY WINDOW MOTOR OILS
(Part-No. 5371)



ADHESIVE LABEL DISPLAY WINDOW ADDITIVES
(Part-No. 5379)



ADHESIVE LABEL DISPLAY WINDOW CAR CARE
(Part-No. 5382)




ADHESIVE LABEL DISPLAY WINDOW AIR-CONDITIONING CLEANING
(Part-No. 5818)



ADHESIVE LABEL DISPLAY WINDOW CAR GLASS
(Part-No. 5819)

ADHESIVE LABEL DISPLAY WINDOW OIL-SERVICE
(Part-No. 5820)



ADHESIVE LABEL OPENING TIMES
(Part-No. 5637)

LOGO WINDOW STICKER (60 x 39 mm)
(Part-No. 5792)



The attractive outdoor signage is individually designed and fabricated. LIQUI MOLY bears the costs (except installation).








LIQUI MOLY also outfits independent filling stations and their sales space with advertising material and outdoor advertising.







Drive with the LIQUI MOLY flag!



Stick a LIQUI MOLY adhesive labeling set to your workshop vehicle or the customer replacement vehicle.

The adhesive set comes in three different sizes and is suitable for every car color.

The applications leaves enough room free for your own advertising on doors, hood and rear window.

Ask your LIQUI MOLY field service/dealer!







The LIQUI MOLY Academy supports you with a wide diversity of training courses, demonstrations and practical training sessions. We provide you, your employees and your customers with first-hand expertise, product information and all manner of useful tricks and subtleties.

LIQUI MOLY customers know more!

Automotive technology is taking giant leaps forward. Car manufacturers are outstripping one another every day with new engines and technologies. Your customers expect you to be up to date with the latest technology at all times. You need the relevant technical knowledge to give your customers in the workshop comprehensive and professional advice.



Make yourself fit for the job – and for your customers!

Further training is not done for the fun of it!

Today, teaching and training are more essential than ever, on the one hand to keep up with stiff competition. On the other hand, technological development in the car industry keeps racing ahead with increasing speed, always demanding new knowledge. That means for you and your employees: keeping on the ball and keeping up with the innovations of the vehicle manufacturers.

Further training should be fun!

Colleagues at the LIQUI MOLY Academy impart the necessary expertise with dedication and understanding. Without academic frills – but with lots of experience and practical examples. Training sessions are tailored to your requests and suggested subjects and are directed above all to the listeners' needs. After all, we want to communicate not only factual information, but also enjoyment of the subject! This is an essential prerequisite for the subsequent success of the training in your company.

Further training is quite simple!

Have a word with the dealer responsible for your company. He will consult with you on content, breadth and dates of your training courses. Training events are held worldwide on the premises of our sales partners, at customers or at our training academy in Ulm.


It's very easy:

We can provide both practical presentations and theoretical training courses!

We have compiled the following subjects for your training. These can also be adapted to your particular needs:

Take your pick! The current LIQUI MOLY Academy program:

- Motor and transmission oils
- Commercial vehicle lubricants
- Additives
- Fitting and removal of vehicle windows
- Cleaning of air conditioning systems
- Oils and additives for gas engines
- Professional plastics repair
- Cleaning of injection systems
- Industrial/hydraulic oils and lubricants
- Workshop and service products
- Professional laminated glass repairs



Approved High Quality Lubricants

LIQUI MOLY is the most popular oil brand in Germany. Our motor oils meet the approvals of all leading car manufacturers.



Angabe 15/2015



Angabe 7/2015




Angabe 6/2015



LIQUI MOLY GmbH
Jerg-Wieland-Str. 4
89081 Ulm, Germany

Tel.: +49 731 / 1420-0
Fax: +49 731 / 1420-922
E-Mail: info@liqui-moly.de

WWW.LIQUI-MOLY.DE



LIQUI MOLY GMBH
Jerg-Wieland-Straße 4
89081 Ulm
Germany

Phone: +49 731 14 20-0
Fax: +49 731 14 20-75
Technical Hotline:
+49 731 14 20-871

www.liqui-moly.com
info@liqui-moly.de

No liability for misprints.
Subject to technical
modifications.



Find the right motor oil
with your smartphone!

With best regards

52841505